CPC COOPERATIVE PATENT CLASSIFICATION

F25D REFRIGERATORS

COLD ROOMS ICE-BOXES

COOLING OR FREEZING APPARATUS NOT COVERED BY ANY

OTHER SUBCLASS (refrigerated show cases <u>A47F 3/04</u>; thermally-insulated vessels for domestic use <u>A47J 41/00</u>; refrigerated vehicles, see the appropriate subclasses of classes <u>B60</u> to <u>B64</u>; containers with thermal insulation in general <u>B65D 81/38</u>; heat-transfer, heat-exchange or heat-storage materials, e.g. refrigerants, or materials for the production of heat or cold by chemical reactions other than by combustion <u>C09K 5/00</u>; thermally-insulated vessels for liquefied or solidified gases <u>F17C</u>; air-conditioning or air-humidification <u>F24F</u>; refrigeration machines, plants or systems <u>F25B</u>; cooling of instruments and comparable apparatus without refrigeration <u>G12B</u>; cooling of engines or pumps, see the relevant classes)

NOTE

In this subclass, the following term is used with the meaning indicated:

- "device" means an enclosed space to be cooled; such devices being associated either with refrigerating machinery, e.g. in a refrigerator, or with other cold sources, e.g. in an ice-box.

Attention is drawn to Note (2) following the title of subclass <u>F24F</u>.

Guide heading: Devices not associated with refrigerating machinery

| F25D 1/00 | Devices using naturally cold air or cold water |
|-----------|--|
|-----------|--|

F25D 1/02 . using naturally cold water, e.g. household tap water

F25D 3/00 Devices using other cold materials
Devices using cold-storage bodies

F25D 3/005 . { combined with heat exchangers }

F25D 3/02 . using ice, e.g. ice-boxes F25D 3/04 . . Stationary cabinets

F25D 3/045 ... { Details }

F25D 3/06 .. Movable containers

F25D 3/08 ... portable, i.e. adapted to be carried personally

F25D 3/10 . using liquefied gases, e.g. liquid air { (for cooling semiconductor devices <u>H01L 23/445</u>) }

F25D 3/102 ... { Stationary cabinets }

| F25D 3/105 | { Movable containers } |
|--------------------------|--|
| F25D 3/103 F25D 3/107 | (northeles is adopted to be considered as proposedly.) |
| F25D 3/107 | |
| F23D 3/11 | with conveyers carrying articles to be cooled through the cooling space |
| F25D 3/12 | using solidified gases, e.g. carbon-dioxide snow |
| F25D 3/122 | { Stationary cabinets } |
| F25D 3/125 | { Movable containers } |
| F25D 3/127 | { Stationary devices with conveyers carrying articles to be cooled through the cooling space } |
| F25D 3/14 | portable, i.e. adapted to be carried personally |
| | |
| F25D 5/00 | Devices using endothermic chemical reactions, e.g. using frigorific mixtures |
| F25D 5/02 | . portable, i.e. adapted to be carried personally |
| F25D 7/00 | Devices using evaporation effects without recovery of the vapour (butter or cheese dishes with cooling devices $\underline{\text{A47G 19/26}}$) |
| F25D 9/00 | Devices not covered by groups <u>F25D 1/00</u> to <u>F25D 7/00</u> Combinations of devices covered by two or more of the groups <u>F25D 1/00</u> to <u>F25D 7/00</u> |
| F25D 9/005 | . { using fluorinated halogenous hydrocarbons } |
| Guide heading: | Devices associated with refrigerating machinery |
| F25D 11/00 | Self-contained movable devices, e.g. domestic refrigerator |
| F25D 11/003 | . { Transport containers } |
| F25D 11/006 | • { with cold storage accumulators } |
| F25D 11/02 | . with cooling compartments at different temperatures |
| F25D 11/022 | { with two or more evaporators } |
| F25D 11/025 | { using primary and secondary refrigeration systems } |
| F25D 11/027 | { of the sorption cycle type } |
| F25D 11/04 | . specially adapted for storing deep-frozen articles (<u>F25D 11/02</u> takes precedence) |
| F25D 13/00 | Stationary devices, e.g. cold-rooms |
| F25D 13/02 | with several cooling compartments, e.g. refrigerated locker systems |
| F25D 13/04 | the compartments being at different temperatures |
| F25D 13/06 | with conveyers carrying articles to be cooled through the cooling space |

| F25D 13/062 | { with refrigerated conveyers } |
|----------------|--|
| F25D 13/065 | { Articles being submerged in liquid coolant } |
| F25D 13/067 | { with circulation of gaseous cooling fluid } |
| F25D 15/00 | Devices not covered by group $\underline{\text{F25D 11/00}}$ or $\underline{\text{F25D 13/00}}$, e.g. non-self-contained movable devices |
| F25D 16/00 | Devices using a combination of a cooling mode associated with refrigerating machinery with a cooling mode not associated with refrigerating machinery |
| Guide heading: | Details or features of the devices covered by groups <u>F25D 1/00</u> to <u>F25D 16/00</u> |
| F25D 17/00 | Arrangements for circulating cooling fluids Arrangements for circulating gas, e.g. air, within refrigerated spaces |
| F25D 17/005 | . { in cold rooms } |
| F25D 17/02 | . for circulating liquids, e.g. brine |
| F25D 17/04 | . for circulating air, e.g. by convection |
| F25D 17/042 | { Air treating means within refrigerated spaces (air conditioning in general F24F) } |
| F25D 17/045 | { Air flow control arrangements } |
| F25D 17/047 | { Pressure equalising devices } |
| F25D 17/06 | by forced circulation |
| F25D 17/062 | { in household refrigerators } |
| F25D 17/065 | { with compartments at different temperatures } |
| F25D 17/067 | { Evaporator fan units } |
| F25D 17/08 | using ducts |
| F25D 19/00 | Arrangement or mounting of refrigeration units with respect to devices { or objects to be refrigerated, e.g. infra-red detectors } |
| F25D 19/003 | . { with respect to movable containers } |
| F25D 19/006 | . { Thermal coupling structure or interface } |
| F25D 19/02 | . plug-in type |
| F25D 19/04 | . with more than one refrigeration unit |
| F25D 21/00 | Defrosting Preventing frosting Removing condensed or defrost water (removing ice or water from heat-exchange apparatus in general F28F 17/00; heating arrangements specially adapted for transparent or reflecting areas H05B 3/84) |

```
F25D 21/002
                     . { Defroster control }
F25D 21/004
                            { Control mechanisms ( F25D 21/006 takes precedence ) }
F25D 21/006
                            { with electronic control circuits }
F25D 21/008
                            { by timer }
F25D 21/02
                        Detecting the presence of frost or condensate
F25D 21/025
                            { using air pressure differential detectors }
F25D 21/04
                        Preventing the formation of frost or condensate
F25D 21/06
                         Removing frost (defrosting cycles <u>F25B 47/02</u>)
F25D 21/065
                            { by mechanical means }
F25D 21/08
                            by electric heating
F25D 21/10
                            by spraying with fluid
F25D 21/12
                            by hot-fluid circulating system separate from the refrigerant system
F25D 21/125
                               { the hot fluid being ambient air }
F25D 21/14
                        Collecting or removing condensed and defrost water
                         Drip trays
F25D 23/00
                     General constructional features (F25D 21/00 takes precedence)
F25D 23/003
                     . { for cooling refrigerating machinery }
F25D 23/006
                        { for mounting refrigerating machinery components }
F25D 23/02
                        Doors
                         Covers (F25D 23/08 takes precedence) { locks or fastenings E05B 65/0042 }
F25D 23/021
                            { Sliding doors }
F25D 23/023
                            { Air curtain closures }
F25D 23/025
                            { Secondary closures }
F25D 23/026
                            { for open-top cabinets }
F25D 23/028
                            { Details }
F25D 23/04
                            with special compartments, e.g. butter conditioners
F25D 23/06
                        Walls (F25D 23/08 takes precedence; containers with thermal insulation B65D 81/38)
F25D 23/061
                            { with conduit means }
F25D 23/062
                            { defining a cabinet }
F25D 23/063
                               { formed by an assembly of panels }
F25D 23/064
                               { formed by moulding, e.g. moulding in situ }
F25D 23/065
                            { Details }
F25D 23/066
                               { Liners }
F25D 23/067
                               { Supporting elements }
F25D 23/068
                               { Arrangements for circulating fluids through the insulating material }
F25D 23/069
                            { Cooling space dividing partitions }
```

```
F25D 23/08
                        Parts formed wholly or mainly of plastics materials
F25D 23/082
                            { Strips }
                            NOTE
                                 When a document describes both breaking and sealing strips it is classified in
                                 group F25D 23/082 only.
F25D 23/085
                               { Breaking strips }
                     . . .
                               { Sealing strips }
F25D 23/087
                     . . .
F25D 23/10
                     . Arrangements for mounting in particular locations, e.g. for built-in type, for corner type
F25D 23/12
                        Arrangements of compartments additional to cooling compartments
                         Combinations of refrigerators with other equipment, e.g. stove
F25D 23/123
                            { Butter compartment }
F25D 23/126
                            { Water cooler }
F25D 25/00
                     Charging, supporting, and discharging the articles to be cooled
F25D 25/005
                     . { using containers }
F25D 25/02
                        by shelves
F25D 25/021
                            { combined with trays }
F25D 25/022
                            { Baskets }
F25D 25/024
                            { Slidable shelves }
F25D 25/025
                               { Drawers }
                     . . .
F25D 25/027
                            { Rotatable shelves }
                     . .
F25D 25/028
                            { Cooled supporting means }
F25D 25/04
                     . by conveyers (in general <u>B65G</u>)
F25D 27/00
                     Lighting arrangements (in general <u>F21</u>)
F25D 27/005
                     . { combined with control means }
F25D 29/00
                     Arrangement or mounting of control or safety devices
F25D 29/001
                     . { for cryogenic fluid systems }
F25D 29/003
                     . { for movable devices }
F25D 29/005
                     . { Mounting of control devices }
F25D 29/006
                     . { Safety devices }
```

```
F25D 29/008
                    . { Alarm devices }
F25D 31/00
                    Other cooling or freezing apparatus
F25D 31/001
                    . { Plate freezers }
F25D 31/002
                    . { Liquid coolers, e.g. beverage cooler ( receptacle coolers <u>F25D 31/006</u> ) }
F25D 31/003
                           { with immersed cooling element }
F25D 31/005
                    . { Combined cooling and heating devices }
F25D 31/006
                    . { specially adapted for cooling receptacles, e.g. tanks }
F25D 31/007
                          { Bottles or cans }
F25D 31/008
                          { Drinking glasses }
Guide heading:
F25D 2201/00
                    Insulation
F25D 2201/10
                    . with respect to heat
F25D 2201/12
                           using an insulating packing material
F25D 2201/122
                              of loose fill type
                    . . .
F25D 2201/124
                              of fibrous type
                    . . .
F25D 2201/126
                              of cellular type
                    . . .
F25D 2201/1262
                                 with open cells
F25D 2201/128
                              of foil type
                    . . .
F25D 2201/1282
                                 with reflective foils
F25D 2201/14
                           using subatmospheric pressure
F25D 2201/30
                    . with respect to sound
Guide heading:
F25D 2230/00
F25D 2240/00
F25D 2250/00
F25D 2260/00
```

F25D 2270/00

| F25D 2300/00 | Special arrangements or features for refrigerators cold rooms ice-boxes Cooling or freezing apparatus not covered by any other subclass |
|-----------------|---|
| F25D 2303/00 | |
| F25D 2303/08 | . Devices using cold storage material, i.e. ice or other freezable liquid |
| F25D 2303/081 | using ice cubes or crushed ice |
| F25D 2303/082 | disposed in a cold storage element not forming part of a container for products to be cooled , e.g. ice pack or gel accumulator |
| F25D 2303/0821 | the element placed in a compartment which can be opened without the need of opening the container itself |
| F25D 2303/0822 | Details of the element |
| F25D 2303/08221 | Fasteners or fixing means for the element |
| F25D 2303/08222 | Shape of the element |
| F25D 2303/08223 | having the shape of an ice cube |
| F25D 2303/083 | using cold storage material disposed in closed wall forming part of a container for products to be cooled |
| F25D 2303/0831 | the liquid is disposed in the space between the walls of the container |
| F25D 2303/0832 | the liquid is disposed in an accumulator pack locked in a closable wall forming part of the container |
| F25D 2303/084 | Position of the cold storage material in relationship to a product to be cooled |
| F25D 2303/0841 | external to the container for a beverage, e.g. a bottle, can, drinking glass or pitcher |
| F25D 2303/0842 | inside the beverage contained in a bottle, can, drinking glass, pitcher or dispenser |
| F25D 2303/0843 | on the side of the product |
| F25D 2303/0844 | above the product |
| F25D 2303/0845 | below the product |
| F25D 2303/0846 | around the neck of a bottle |
| F25D 2303/085 | Compositions of cold storage materials |
| F25D 2317/00 | |
| F25D 2317/04 | . Treating air flowing to refrigeration compartments |
| F25D 2317/041 | by purification |
| F25D 2317/0411 | by dehumidification |
| F25D 2317/04111 | Control means therefor |
| F25D 2317/0413 | by humidification |
| F25D 2317/04131 | Control means therefor |
| F25D 2317/0415 | by deodorizing |
| F25D 2317/0416 | using an ozone generator |
| F25D 2317/0417 | using an UV-lamp |

| F25D 2317/043 | by creating a vacuum in a storage compartment |
|----------------|--|
| F25D 2317/06 | . with forced air circulation |
| F25D 2317/061 | through special compartments |
| F25D 2317/062 | along the inside of doors |
| F25D 2317/063 | with air guides |
| F25D 2317/065 | characterised by the air return |
| F25D 2317/0651 | through the bottom |
| F25D 2317/0652 | through the corner |
| F25D 2317/0653 | through the mullion |
| F25D 2317/0654 | through the side |
| F25D 2317/0655 | through the top |
| F25D 2317/066 | characterised by the air supply |
| F25D 2317/0661 | from the bottom |
| F25D 2317/0662 | from the corner |
| F25D 2317/0663 | from the mullion |
| F25D 2317/0664 | from the side |
| F25D 2317/0665 | from the top |
| F25D 2317/0666 | from the freezer |
| F25D 2317/0667 | from the refrigerator |
| F25D 2317/067 | characterised by air ducts |
| F25D 2317/0671 | Inlet ducts |
| F25D 2317/0672 | Outlet ducts |
| F25D 2317/068 | characterised by the fans |
| F25D 2317/0681 | Details thereof |
| F25D 2317/0682 | Two or more fans |
| F25D 2317/0683 | the fans not of the axial type |
| F25D 2317/0684 | the fans allowing rotation in reverse direction |
| F25D 2321/00 | |
| F25D 2321/14 | . Collecting condense or defrost water Removing condense or defrost water |
| F25D 2321/141 | Removal by evaporation |
| F25D 2321/1411 | using compressor heat |
| F25D 2321/1412 | using condenser heat or heat of desuperheaters |
| F25D 2321/1413 | using heat from electric elements or using an electric field for enhancing removal |
| F25D 2321/142 | characterised by droplet guides |
| F25D 2321/143 | characterised by means to fix, clamp, or connect water pipes or evaporation trays |
| F25D 2321/144 | characterised by the construction of drip water collection pans |
| F25D 2321/1441 | inside a refrigerator |
| F25D 2321/1442 | outside a refrigerator |

F25D 2321/145 characterised by multiple collecting pans F25D 2321/146 characterised by the pipes or pipe connections . . F25D 2321/147 characterised by capillary, wick, adsorbent, or evaporation elements . . F25D 2323/00 F25D 2323/0011 Means for leveling refrigerators F25D 2323/002 . Details for cooling refrigerating machinery F25D 2323/0021 using air guides . . F25D 2323/0022 using multiple air flows . . F25D 2323/0023 Control of the air flow cooling refrigerating machinery . . F25D 2323/0024 Filters in the air flow cooling refrigerating machinery . . F25D 2323/0026 characterised by the incoming air flow . . F25D 2323/00261 through the back bottom side . . . F25D 2323/00262 through the back top side . . . F25D 2323/00263 through the back corner side . . . F25D 2323/00264 through the front bottom part . . . F25D 2323/00265 through the front top part . . . F25D 2323/00266 through the bottom . . . F25D 2323/00267 through the side . . . F25D 2323/00268 through the top . . . F25D 2323/0027 characterised by the out-flowing air . . F25D 2323/00271 from the back bottom . . . F25D 2323/00272 from the back top . . . F25D 2323/00273 from the back corner . . . F25D 2323/00274 from the front bottom . . . F25D 2323/00275 from the front top . . . F25D 2323/00276 from the bottom . . . F25D 2323/00277 . . . from the side F25D 2323/00278 from the top . . . F25D 2323/0028 characterised by the fans . . F25D 2323/00281 Two or more fans . . . F25D 2323/00282 the fans not of the axial type . . . F25D 2323/00283 the fans allowing rotation in reverse direction F25D 2323/00284 Details thereof . . . F25D 2323/02 . Details of doors or covers not otherwise covered F25D 2323/021 French doors . . F25D 2323/022 Doors that can be pivoted either left-handed or right-handed . . F25D 2323/023 Door in door constructions . . Door hinges F25D 2323/024

. .

F25D 2323/06 Details of walls not otherwise covered F25D 2323/061 Collapsible walls F25D 2323/062 Inflatable walls . . F25D 2323/121 the refrigerator is characterised by a water filter for the water/ice dispenser F25D 2323/122 the refrigerator is characterised by a water tank for the water/ice dispenser F25D 2325/00 F25D 2325/021 . Shelves with several possible configurations F25D 2325/022 Shelves made of glass or ceramic F25D 2325/023 Shelves made of wires F25D 2327/00 F25D 2327/001 Lighting arrangements on the external side of the refrigerator, freezer or cooling box F25D 2331/00 F25D 2331/80 Type of cooled receptacles F25D 2331/801 Bags F25D 2331/8011 to be carried on the back of a person F25D 2331/8012 for cosmetics . . . F25D 2331/8013 for playing golf . . . F25D 2331/8014 for medical use . . . F25D 2331/8015 **Pouches** . . . Barrels F25D 2331/802 . . F25D 2331/803 **Bottles** F25D 2331/804 **Boxes** F25D 2331/8041 for drinking . . . F25D 2331/805 Cans . . F25D 2331/8051 for holding milk . . . F25D 2331/806 Dispensers F25D 2331/807 Eggs . . F25D 2331/808 Glasses . . F25D 2331/809 Holders . . F25D 2331/81 **Pitchers** . . F25D 2331/811 Pour-throughs . .

F25D 2331/812

Trays

. .

| F25D 2400/00 | General features of, or devices for refrigerators, cold rooms, ice-boxes, or for cooling or freezing apparatus not covered by any other subclass |
|---------------|--|
| F25D 2400/02 | . Refrigerators including a heater |
| F25D 2400/04 | . Refrigerators with a horizontal mullion |
| F25D 2400/06 | . Refrigerators with a vertical mullion |
| F25D 2400/08 | . Refrigerator tables |
| F25D 2400/10 | . Refrigerator top-coolers |
| F25D 2400/12 | . Portable refrigerators |
| F25D 2400/14 | . Refrigerator multi units |
| F25D 2400/16 | . Convertible refrigerators |
| F25D 2400/18 | . Aesthetic features |
| F25D 2400/20 | . Carts specially adapted for transporting objects to be cooled |
| F25D 2400/22 | . Cleaning means for refrigerating devices |
| F25D 2400/24 | . Protection against refrigerant explosions |
| F25D 2400/26 | . Refrigerating devices for cooling wearing apparel, e.g. garments, hats, shoes or gloves. |
| F25D 2400/28 | . Quick cooling |
| F25D 2400/30 | . Quick freezing |
| F25D 2400/32 | . Removal, transportation or shipping of refrigerating devices from one location to another |
| F25D 2400/34 | . Temperature balancing devices |
| F25D 2400/36 | . Visual displays |
| F25D 2400/361 | Interactive visual displays |
| F25D 2400/38 | . Refrigerating devices characterised by wheels |
| F25D 2400/40 | . Refrigerating devices characterised by electrical wiring |
| F25D 2500/00 | Problems to be solved |
| F25D 2500/02 | . Geometry problems |

| F25D 2500/04 | . Calculation of parameters |
|---------------|--|
| F25D 2500/06 | . Stock management |
| F25D 2600/00 | Control issues |
| F25D 2600/02 | . Timing |
| F25D 2600/04 | . Controlling heat transfer |
| F25D 2600/06 | . Controlling according to a predetermined profile |
| F25D 2700/00 | Means for sensing or measuring Sensors therefor |
| F25D 2700/02 | . Sensors detecting door opening |
| F25D 2700/04 | . Sensors detecting the presence of a person |
| F25D 2700/06 | . Sensors detecting the presence of a product |
| F25D 2700/08 | . Sensors using Radio Frequency Identification (RFID) |
| F25D 2700/10 | . Sensors measuring the temperature of the evaporator |
| F25D 2700/12 | . Sensors measuring the inside temperature |
| F25D 2700/121 | of particular compartments |
| F25D 2700/122 | of freezer compartments |
| F25D 2700/123 | more than one sensor measuring the inside air temperature in a compartment |
| F25D 2700/14 | . Sensors measuring the temperature outside the refrigerator or freezer |
| F25D 2700/16 | . Sensors measuring the temperature of products |